

Message

From: Prentice, Amanda [Prentice.Amanda@epa.gov]
Sent: 4/21/2021 5:03:35 PM
To: Cardile, Joseph [Cardile.Joseph@epa.gov]; LaVigna, Gaetano [LaVigna.Gaetano@epa.gov]
CC: Buettner, Robert [Buettner.Robert@epa.gov]; Leung, Chao [Leung.Chao@epa.gov]
Subject: RE: Revised VOC Calcs for BRR

Ex. 5 AC / Ex. 7(A)

Thanks,
Amanda

From: Cardile, Joseph <Cardile.Joseph@epa.gov>
Sent: Wednesday, April 21, 2021 12:23 PM
To: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>; Prentice, Amanda <Prentice.Amanda@epa.gov>
Cc: Buettner, Robert <Buettner.Robert@epa.gov>; Leung, Chao <Leung.Chao@epa.gov>
Subject: RE: Revised VOC Calcs for BRR

Ex. 5 AC / Ex. 7(A)

From: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>
Sent: Wednesday, April 21, 2021 12:04 PM
To: Cardile, Joseph <Cardile.Joseph@epa.gov>; Prentice, Amanda <Prentice.Amanda@epa.gov>
Cc: Buettner, Robert <Buettner.Robert@epa.gov>; Leung, Chao <Leung.Chao@epa.gov>
Subject: RE: Revised VOC Calcs for BRR

Ex. 5 AC / Ex. 7(A)

Gaetano La Vigna, Chief
Stationary Source Compliance Section
Air Compliance Branch
U.S. EPA Region 2

290 Broadway, 21st Floor
New York, New York 10007-1866
Phone (212) 637-4069
Email LaVigna.Gaetano@epa.gov

CONFIDENTIAL: *This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.*

From: Cardile, Joseph <Cardile.Joseph@epa.gov>
Sent: Wednesday, April 21, 2021 11:46 AM
To: Prentice, Amanda <Prentice.Amanda@epa.gov>
Cc: Buettner, Robert <Buettner.Robert@epa.gov>; LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>; Leung, Chao <Leung.Chao@epa.gov>
Subject: Revised VOC Calcs for BRR

Ex. 5 AC / Ex. 7(A)

Joe

Joseph Cardile, Environmental Engineer
Stationary Source Compliance Section
Air Compliance Branch
U.S. EPA Region 2
290 Broadway, 21st Floor
New York, New York 10007-1866
Phone (212) 637-4054
Email Cardile.Joseph@epa.gov

CONFIDENTIAL: *This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.*